

Certification

- Performance certificate of Small and Medium Business Administration : No. 11-295
- Technology Innovation Small and Medium Business (INNO-BIZ) : No. 6011-3513
 - Venture company certificate : No. 20070202377
- Export-promising Small and Medium Business : No. 2018 Seoul -83
 - Environmental Product Declaration : No. 19911

Patents

- Patents : No.10-0700290, 10-0776519, 10-1201636, 10-1482862
- Utility Model Registration : No.0377918, 20-00437340, 0260772, 0302353, 0297049, 0315231, 0319720, 2004-0024347
- Design Registration : No. 0369374, 0369375, 0387363, 0386278, 30-044555307, 0309896, 0320467, 0331830, 0356431, 2004-0025915
 - Similar design registration : No. 0309896
- Trademark registration : No. 2001-0043280, 2004-0000353

Omnipack®

A.N.S Development Co.,Ltd.

www.omnipack.net

Head office

No. 408, 3 dong, Gyeongin-ro 775, Yeongdeungpo-gu, Seoul (Ace High-tech City)

Seoul Factory

No. 203, 217, 218, B dong, Gyeongin-ro 775, Yeongdeungpo-gu, Seoul (Ace High-tech City)

Paju Factory

16-12, Jeokseongsandan 2 ro, Jeokseong-myeon, Paju-si, Gyeonggi-do

Service center

Tel : +82.1588.1772 **Fax :** +82.2.3439.0350



Printed in AUGUST, 2019



Omnipack®

Wet Umbrella Wrapping Machine



OP2-H



OP3



OPQ-SR



“Wet Umbrella Wrapping Machine”

Our company specializes in manufacturing and selling **automatic wet umbrella wrapping machines** and **umbrella wrapping plastic bags** and

we share our trust with everyone who sells and uses our products.

Based on the best technology and quality production capacity for 20 years, it is a manufacturer and exporter that provides **the highest value for consumers.**

With the management philosophy of trust and win-win, we play a leading role in the automatic wet umbrella wrapping machine industry **through customized service and social contribution activities.**

We obtained qualification for bidding from

- USA federal government supply center (System for Award Management SAM) our Duns No: 687393223 and acquired
- the NATO Manufacturer NO (NCAGE code) (804CF)

Also we were approved by the government of small and medium sized companies as for the below;

- Certificate of performance (No11-295)
- Technology innovation (INNOBIZ) (No 6011-3513)
- Management Innovation Small Business (MAINBIZ) (No. R110101-00362)
- Promising export small & medium sized company (No 08 Seoul-113)
- Establishment of A.N.S Development R&D institute (No 2010112969)

We are committed to becoming our best company that can be trusted by customers, a company that always has the best competitiveness with endless efforts and creativity, a company that always leads the way with transparent and prompt business processes, and a company that can contribute to society, and we promise to become a more future-oriented company.

We promise to become a future-oriented company with top priority on customer satisfaction.

- All employees -



History

- 2019**
 - Environmental Product Declaration No. 19911 issued
 - Acquired certificate of origin certified exporter 010-11-230222
 - Launched microfiber umbrella rainwater remover OPT-CB, BK
 - Selected as 2019-2020 Export voucher business
 - Launched products on Amazon.com & Amazon.Japan
- 2018**
 - Designated as Export-promising Small and Medium Business (No. 2018 Seoul -83)
 - Developed technology to improve product process No. 2018-S2571004
 - Launched umbrella rainwater remover OPT
- 2017**
 - 2017-2018 Selected as Export Voucher Business
- 2016**
 - Selected as Export-promising Small and Medium Business (No. 16 Seoul - 17)
 - Renewed technology Innovation INNO-BIZ Small and Medium Business No. 130101-00221
- 2015**
 - Selected by the US Federal Government Procurement Center (SAM) Support (DUNS Number: 687393223)
 - NATO Producer Code: 804CF
 - Launched New Wet Umbrella Wrapping Machine (OPR). Patent registration No. 0099914
- 2014**
 - Management Innovation MAIN-BIZ Registration No. R110101-00362
 - Launched New Umbrella Printing Envelope (OBL-BU, OBS-BU)
 - Launched New Wet Umbrella Wrapping Machine (OPW-BK)
- 2013**
 - Renewed technology Innovation INNO-BIZ Small and Medium Business No. 130101-00221
 - First to acquire 'Performance Certificate' from Small & Medium Business Administration in the industry (No. 11-295)
- 2012**
 - Selected as a High Seoul Brand for the second year
 - Launched a new model of Wet Umbrella Wrapping Machine OP1-BK, OP2-BK
- 2011**
 - Selected as a new company of High Seoul Brand
 - Designated as a small and medium business design consulting company
 - Selected as EBay, YouTube online market (Small Business Distribution Center)
- 2010**
 - Established ANS Technology Research Center (Director of Korea Technology Promotion Association No. 2010112969)
 - Selected as a 3rd export-promising small and medium enterprise (No. 10 Seoul-132)
- 2009**
 - Acquired Quality Management System Certificate KS Q (ISO 9001: 2001 / ISO 9001: 2000)
 - Hosted seminars for distributors and sales offices nationwide
- 2008**
 - Selected as CLEAN (clean) business (Korea Occupational Safety and Health Agency)
 - Selected as an export-promising small and medium enterprise No.08 Seoul -113
 - Selected as 2nd export enterprise business (Korea Occupational Safety and Health Agency)
 - North American International Cleaning Products Exhibition (ISSA / INTERCLEAN-NORTH AMERICA)
- 2007**
 - Technology Innovative INNO-BIZ Company Registration No. 6011-3513
 - Hosted seminars for distributors and sales offices nationwide
 - 2nd venture company registration No. 20070202377
 - Selected as CLEAN business (No. 48, No. 245)
- 2006**
 - Technology Innovation INNO-BIZ Company Registration No. 6011-3513
 - Participated in Geumcheon company fair
 - Patent Registration No. 10-0776519
- 2005**
 - Achieved an export of 500,000 US dollars
 - Launched a new model of Automatic Wet Umbrella Wrapping Machine (OP3)
 - Launched a new model of Automatic Wet Umbrella Wrapping Machine (OP1-MB, OP1-MC, OP1-MG)
 - Launched a new model of Automatic Wet Umbrella Wrapping Machine (OP2-MB, OP2-MC, OP2-MG)
 - Signed agent agreements (Japan, Denmark, Turkey, Australia, Switzerland, Russia, Brazil, Spain, Hong Kong, Netherlands, Singapore, China, UK, Norway, Philippines)
- 2004**
 - Registered as a venture company No. 041123032-1-00827
 - Design Registration No. 0356431
 - Launched new Automatic Wet Umbrella Wrapping Machine (OPW)
 - Utility model registration application No. 2004-0024347
 - Signed agency agreement (Malaysia, Finland)
- 2003**
 - Utility Model Registration No. 0315231
 - Utility Model Registration No. 0319720
 - Design Registration No. 0331830
- 2002**
 - Utility Model Registration No. 0302353
 - Utility Model Registration No. 0297049
 - Hosted seminars for distributors and sales offices nationwide
- 2001**
 - Established ANS Co., Ltd.
 - Design Registration No. 0309896
 - Design Registration No. 0320467
 - Utility Model Registration No. 0260772
- 2000**
 - Launched Automatic Wet Umbrella Wrapping Machine (OP1-H, OP2-H)
 - Patent Registration No. 10-0700290
- 1999**
 - Established Asian trade business
 - Developed Automatic Wet Umbrella Wrapping Machine



Yeongdeungpo Head office and Factory



Paju 2nd Factory



Workshop 2018

“People”

A company that first thinks of people and happiness sharing.
A company that challenges by practicing the value of dreams and the future.
A social contribution company that shares love with neighbors and society.

Omnipack®

A.N.S Development Co.,Ltd. supports various social welfare facilities.



**OP1-H**

- **Specification :** 250 × 390 × 785
- **Package capacity :** 1,000 sheets
- **Material :** Hairline stainless steel
- **Weight :** 8.7kg
- **Loading weight :** 12.1kg

**OP2-H**


- **Specification :** 450 × 390 × 785
- **Package capacity :** 2,000 sheets
- **Material :** Hairline stainless steel
- **Weight :** 15.4kg
- **Loading weight :** 20.8kg

**OPR**


- **Specification :** 510 × 390 × 785
- **Package capacity :** 1,000 sheets
- **Material :** Mirror stainless steel
- **Weight :** 13.6kg
- **Loading weight :** 17.0kg

**OPW**

- **Specification :** 450 × 390 × 785
- **Package capacity :** 1,000 sheets
- **Material :** Hairline stainless steel
- **Weight :** 12.4kg
- **Loading weight :** 15.8kg

**OP1-MB**

- **Specification :** 250 × 390 × 785
- **Package capacity :** 1,000 sheets
- **Material :** Mirror stainless steel
- **Weight :** 8.7kg
- **Loading weight :** 12.1kg

**OP2-MB**

- **Specification :** 450 × 390 × 785
- **Package capacity :** 2,000 sheets
- **Material :** Mirror stainless steel
- **Weight :** 15.4kg
- **Loading weight :** 20.8kg

**OP1-PG**

- **Specification :** 250 × 390 × 785
- **Package capacity :** 1,000 sheets
- **Material :** EGI special color coating (Pearl Gray)
- **Weight :** 9.0kg
- **Loading weight :** 12.4kg

**OP2-PG**

- **Specification :** 450 × 390 × 785
- **Package capacity :** 2,000 sheets
- **Material :** EGI special color coating (Pearl Gray)
- **Weight :** 16.4kg
- **Loading weight :** 21.8kg

**OPQ-SR**

- **Specification :** 470 × 470 × 940
- **Package capacity :** 2,000 sheets
- **Material :** Special color and ABS engineering (Silver)
- **Weight :** 14.0kg
- **Loading weight :** 19.4kg

**OP1-GD**

- **Specification :** 250 × 390 × 785
- **Package capacity :** 1,000 sheets
- **Material :** EGI special color coating (Gold)
- **Weight :** 9.0kg
- **Loading weight :** 12.4kg

**OP2-GD**

- **Specification :** 450 × 390 × 785
- **Package capacity :** 2,000 sheets
- **Material :** EGI special color coating (Gold)
- **Weight :** 16.4kg
- **Loading weight :** 21.8kg

**OP1-BK**

- **Specification :** 250 × 390 × 785
- **Package capacity :** 1,000 sheets
- **Material :** EGI special color coating (Black)
- **Weight :** 9.0kg
- **Loading weight :** 12.4kg

**OP2-BK**

- **Specification :** 450 × 390 × 785
- **Package capacity :** 2,000 sheets
- **Material :** EGI special color coating (Black)
- **Weight :** 16.4kg
- **Loading weight :** 21.8kg

**OPW-BK**

- **Specification :** 450 × 390 × 785
- **Package capacity :** 1,000 sheets
- **Material :** EGI special color coating (Black)
- **Weight :** 13.0kg
- **Loading weight :** 16.4kg

**OPQ-BK**

- **Specification :** 470×470×940
- **Package capacity :** 2,000 sheets
- **Material :** Special color and ABS engineering (Black)
- **Weight :** 14.0kg
- **Loading weight :** 19.4kg

**OP3**

- **Specification :** 250×275×880
- **Package capacity :** 1,000 sheets
- **Material :** ABS engineering
- **Weight :** 9.0kg
- **Loading weight :** 12.4kg

**OBR****OBW****Umbrella Plastics Collecting Machine**

- **Specification :** 260×260×680
- **Material :** Mirror stainless steel
- **Weight :** 6.0kg

Color Selection




※ This catalog colors may slightly differ from actual products.

Global Colors Powder Coating

Powder coating of eco-friendliness, human-friendly Global Colors does not use any organic solvent. It is a world-class coating that is safe without the emission of VOC (Volatile Organic Compound) which is the cause of environmental pollution. Customized production with different specifications, shape, colors available upon customer request.

Umbrella Plastic Wrappers and Printing

Omnipack produces and prints packaging and various plastic wrappers that fit the automatic wet umbrella wrapping machine. We can do order production, and we will do our utmost with a mind that thinks about high quality products and environment.



Environmental Product
Declaration No. 19911


Umbrella Plastic Bag



OBL (for long umbrella) • Specification : 140 × 730mm • Material : Translucent
 OBS (for folding umbrella) • Specification : 140 × 410mm • Material : Translucent



Sanitary Bags



OBST
 • Specification : 100×220mm
 • M-shaped plastics : 25×25mm
 • Unit : 100 sheets

Print Guide

Cost guide

If additional printing on the wrapper is required for company advertisement, the price of wrapper (per sheet) + print cost + plate cost

- Wrapper Price : See Product Guide
- Wrapper unit : 4,000 sheets (1Box)

Advantages of the Collecting Machine



▲ Can be also used as a Baengbaengi lid

▲ Silicon pads prevent breakdown and damage

▲ Rubber packing for slip-resistant and floor protection

▲ Stainless steel material with durability and rigidity

▲ Rigid lock

Features and Advantages of Omnipack



Easy to Carry



▲ OP1- wheels



▲ OP2- wheels



▲ OP2- Handle / OP1, OP2- Inlet cap, Separated steel sheet

One Sheet at a Time



▲ OP1, OP2-separated steel sheet



▲ Antistatic hanger 1



▲ Antistatic hanger 2

Improved Inlet Cap



▲ Improved inlet cap

Handle



▲ Handle that indicates usage

Comparison with Other Products

We are always striving for the convenience and satisfaction of customers by faithfully performing our role, as a global leader with Omnipack's advanced technology and research achievements.

Umbrella Inlet

Omnipack

- Raised and widened the inlet of the folded umbrella, allowing a direct insert without pushing the umbrella with hands.
- Beautiful design and clean finish.

Other companies

- The inconvenience of rolling the umbrella with hands to insert.
- Unclean finish due to the use of screws and rivets.

Functional Handle

Omnipack

- Easy to see the remaining amount of plastic bags with the functional handle installed.
- Rigid appearance and beautiful design.

Other companies


- Cannot see the remaining amount of plastic bags. (inconvenience to open the lid to check)
- Less attractive appearance due to screws and rivets, which can also cause a breakdown.

Double Steel Sheet



Omnipack

- Prevents errors when pulling out the plastic wrappers by installing steel sheets (with 10mm spacing) in two places.
- Spring washer and nut used for shock prevention.



Other companies


- Wasteful due to frequent overlaps of multiple sheets when pulling out plastics.
- Weak at impacts due to the use of general parts

Hanger Fixing Cap



Omnipack

- Convenient to withdraw the plastic wrappers by installing a wire stopper to keep the balance of the hanger.



Other companies


- Risk of loss due to the use of screws on the hanger fixing cap

Soft PVC Wrap



Omnipack

- Maintains anti-static of plastic wrappers and the smooth withdrawing of plastic wrappers even with external factors.



Other companies


- Withdrawing is not smooth due to static electricity of plastic wrappers that causes overlapping.

Hanger Fixing Groove



Omnipack

- The spring and hanger groove allow you to withdraw one sheet of plastic wrappers at a time and to prevent overlapping.



Other companies

- Tearing of plastic wrappers and multiple overlaps when withdrawing occur due to no hanger fixing groove and spring pin.

Spring Pin Module

Omnipack

- Using the spring pin module which is distinguished from the other products, smooth withdrawing of plastic wrappers is achieved even for long-time use.

Other companies

- Plastic wrappers are often not easy to pull out.

“Eco”
Omnipack® thinks about the environment and future

Umbrella Rainwater Remover (OPT)



Microfiber umbrella rainwater remover (OPT-CB, BK)
• Specification : 830 x 330 x 850
• Material : EGI (color special coating)
• Color : Dark Gray
• Weight : 10kg



Umbrella rainwater remover (OPT)
• Specification : 830 x 330 x 850
• Material : EGI (color special coating)
• Color : Dark Gray
• Weight : 10kg



Use of microfibers that adds effective function



Safety with curved-finish



Wheels with locks for easy movement




Rainwater collecting container that can be installed indoor and outdoor




Cover that is easy to store when unused



Standard walnut



Key-type silver



Key-type maple



Umbrella metal mesh
Silver, Black



Umbrella friends
Blue, Purple, Light Green

Umbrella Stand



OR-100
Swing Top
Trash Can



OR-100-1
Round Hopper
Trash Can



OR-100-2
Swing Top Trash
Can with sand

OR-100 / OR-100-1 / OR-100-2
Size (Diameter x Height) / Capacity (ℓ)

- 500 x 740 / 145 ℓ
 - 450 x 740 / 110 ℓ
 - 385 x 680 / 80 ℓ
 - 350 x 680 / 65 ℓ
- ※ Customization available



**Pedaled
Recycle Bin**
20 / 50ℓ
Stainless steel
inner tube
included



OR-100-3
Ashtray



OR-100-3
Swing Top
Trash Can

OR-100-3
Size (Diameter x Height) / Capacity (ℓ)

- 300 x 700 / 50 ℓ
 - 270 x 700 / 40 ℓ
 - 230 x 650 / 27 ℓ
- ※ Customization available



Multi-purpose Recycle Bin
Size (Diameter x Height) / Capacity (ℓ)

- 240 x 250 / 9 ℓ
 - 210 x 230 / 7 ℓ
 - 190 x 210 / 5 ℓ
- ※ Customization available



ORJ-1
Width x Depth x Height
400 x 300 x 900
※ Customization
available



ORJ-4
Width x Depth x Height
450 x 450 x 950
※ Customization
available



ORJ-5
Width x Depth x Height
250 x 250 x 680
※ Customization
available



Olympic Recycle Bin
Diameter x Height
Φ350 x 760
Body / Stainless steel




**Anti-
terrorism**
Diameter x Height
Φ500 x 600




**Anti-
terrorism**
Diameter x Height
Φ500 x 600



**Anti-
terrorism**
Diameter x Height
Φ500 x 700



**Wooden
Circular**
Diameter x Height
Φ400 x 755
Steel powder
Wood / inner tube



**Wooden
square**
Width x Depth x Height
400 x 400 x 950
Steel powder
Wood / inner tube



**Separated
Collection CK**
Width x Depth x Height
500 x 450 x 800
(1space)



ORJ-2
Diameter x Height
Φ385/Φ500 x 850
※ Customization
available



ORJ-3
Diameter x Height
Φ500 x 850
※ Customization
available



※ It is possible to print on the belt. Please contact head office for the purchase of a mini queue stand & belt barrier.



Recycling box STC-350B
Width x Depth x Height / Capacity (ℓ)
390 x 240 x 610 / 35 ℓ



**Box electric water
boiling 80/8**



**Thermal, insulated water
bottle No. 60 / No. 6**

Model name / Width x Height / Capacity (ℓ)


- | | | |
|---------------------------|---------------------------|-----------------------------|
| • No. 6 / 230x340 / 6 ℓ | • No. 20 / 280x600 / 20 ℓ | • No. 80 / 450x720 / 80 ℓ |
| • No. 8 / 230x420 / 8 ℓ | • No. 30 / 350x600 / 30 ℓ | • No. 100 / 450x950 / 100 ℓ |
| • No. 12 / 280x450 / 12 ℓ | • No. 40 / 350x720 / 40 ℓ | |
| • No. 16 / 280x500 / 16 ℓ | • No. 60 / 350x860 / 60 ℓ | |



Recycling box OTC-450

Model name / Width x Depth x Height / Capacity (ℓ)

- OTC-450 / 450 x 280 x 870 / 45 ℓ
- OTC-350 / 390 x 240 x 800 / 35 ℓ
- OB-450 / Continuous vinyl x15m x 40 rolls-Box / 45 ℓ
- OB-350 / Continuous vinyl x15m x 40 rolls-Box / 35 ℓ



Inlet



Category
name



Lock

Company logo
printing

Footstool



**Double-layered soup bottle No. 40
/ Single-layered soup bottle No. 20**



**Sanitary Box No. 120
/ Soda 40**

Model name / Width x Height / Capacity (ℓ)

- | | | |
|---------------------------|-----------------------------|-----------------------------|
| • No. 10 / 330x230 / 10 ℓ | • No. 38 / 350x390 / 38 ℓ | • No. 152 / 550x630 / 152 ℓ |
| • No. 12 / 250x250 / 12 ℓ | • No. 40 / 390x500 / 40 ℓ | • No. 200 / 635x640 / 200 ℓ |
| • No. 15 / 330x260 / 15 ℓ | • No. 58 / 400x460 / 58 ℓ | • No. 250 / 635x810 / 250 ℓ |
| • No. 20 / 330x330 / 20 ℓ | • No. 76 / 450x480 / 76 ℓ | |
| • No. 25 / 330x400 / 25 ℓ | • No. 96 / 490x510 / 96 ℓ | |
| • No. 30 / 390x390 / 30 ℓ | • No. 120 / 550x510 / 120 ℓ | |



품질 보증서

Warranty / 品質保証書

본 우산자동포장기 옴니팩은 (주)ANS의 숙련된 기술진에 의하여 제작되고, 품질관리팀의 철저한 품질검사에 합격한 제품으로 아래와 같이 품질을 보증합니다.

The wet umbrella packing machine(Omnipack Brand) are manufactured under the strict quality controls by the skilled workers.
We guarantee the quality of the products in accordance with the warranty.

傘自動包装機オムニパックは、(株)ANSの熟練した技術者陣により製作され、品質管理チームの徹底した品質検査に合格した製品として以下のとおり品質を保証します。

▶ 아 래 ◀

- 보증 기간 : OP1, OP2, OPW 모델 (배송일로부터 3년간)
OP3, OPQ-SR(BK) 모델 (배송일 기준 2년) 입니다.
- 제조상의 문제로 인한 결함발생시 교환 및 무상수리를 원칙으로 하고있습니다.
- 단, 다음과 같은 경우에는 유상처리해 드리고 있습니다.
가. 무상보증기간이 지났을 경우
나. 사용자부주의로 인한 파손 및 유실
다. 천재지변에 의한 파손 및 고장시
- 제품의 수리, 교환, 환불에 대한 보상규정은 재정경제원고시 소비자피해규정에 따릅니다.
※상기와 같은 이유로 A/S를 원하시면, 홈페이지에서 부품 구매가 가능하며, 전화 혹은 이메일로 연락을 주시기 바랍니다.
접수 후 신속히 조치해 드리겠습니다.

▶ Following ◀

- Warranty Period : Model OP1, OP2, OPW (For 3 years from the shipping date)
Model OP3, OPQ-SR(BK) (For 2 years from the shipping date)
- In case of any defects in workmanship, the repair is done free of charge.
- However, in the following cases, we will charge you a fee.
 - At the expiry of warranty period.
 - Damages by the abuse, misapplication, accident or as a result of service or modification not approved by us.
 - Broken or damaged by natural disasters.
- The provision of compensation for repair, replacement and refund of products shall be referred to the ones of the Ministry of Finance and Economy in accordance with consumer damage regulations.
※If you want A/S for the above reasons, you can purchase parts from our website. Please contact us by phone or email.
We will respond promptly after receipt.

▶ 以 下 ◀

- 保証期間 : OP1、OP2、OPWモデル (配送日の基準3年)
OP3、OPQ-SR(BK)モデル (配送日の基準2年)です。
- 原則として、製造上の問題による欠陥の発生時にのみ交換・無償修理を行います。
- ただし、次のような場合は有償での交換・修理を受け付けております。
 - 無償保証期間が過ぎた場合
 - 使用者の不注意による破損・紛失の場合
 - 天災による破損・故障の場合
- 製品の修理、交換、返品に関する保証規定は、財政経済院の告示した消費者被害規定に従います。
※上記のような理由によりアフターサービスをご要望される場合、電話またはEメールにてご連絡ください。
また、部品はホームページから購入いただけます。お問い合わせには迅速に対応いたします。

출고번호 :

No / 出庫番号

제조날짜 :

년 (Y / 年)

월 (M / 月)

일 (D / 日)

Shipping Date / 製造日

■ 우산자동포장기 사용방법 ■

How to use an Wet Umbrella Wrapping Machine
傘自動包装機の使用法



- ※ 우산투입구로 우산을 넣어서 천천히 앞으로 당겨주세요.
- ※ Put wet umbrella straight down into the slot and pull it forward slowly.
- ※ 傘投入口から傘を入れてゆっくりと手前に引いてください。

옴니팩
Omnipack

(주) A.N.S.

www.omnipack.net

본사 : 서울시 영등포구 경인로 775 3동 408호(에이스하이테크시티)
서울공장 : 서울시 영등포구 경인로 775 B동 203, 217, 218호 (에이스하이테크시티)
파주공장 : 경기도 파주시 적성면 적성산단2로 16-12
고객센터 : Tel : 1588.1772 Fax : 02.3439.0350
E-mail : omni@omnipack.co.kr

A.N.S Development Co.,Ltd.

Head office : No. 408, 3 dong, Gyeongin-ro 775, Yeongdeungpo-gu, Seoul (Ace High-tech City)
Seoul Factory : No. 203, 217, 218, B dong, Gyeongin-ro 775, Yeongdeungpo-gu, Seoul (Ace High-tech City)
Paju Factory : 16-12, Jeokseongsandan 2 ro, Jeokseong-myeon, Paju-si, Gyeonggi-do
Service center : Tel : +82.1588.1772 Fax : +82.2.3439.0350
E-mail : omnipackkorea@gmail.com / omnipack@naver.com

(株) A.N.S.

本社 : ソウル市永登浦区キョンイン路775、3棟408号 (エースハイテクシティ)
ソウル工場 : ソウル市永登浦区キョンイン路775、B棟203、217、218号 (エースハイテクシティ)
坡州工場 : 京畿道 坡州市 積城面 積城産団2路16-12
カスタマーセンター : Tel : +82.1588.1772 Fax : +82.2.3439.0350
E-mail : omnipackkorea@gmail.com / omnipack@naver.com



제품설명서 및 보증서

우산자동포장기

Wet Umbrella Wrapping Machine
Product Manuals and Warranty

傘自動包装機

製品取扱説明書・保証書



옴니팩
Omnipack

■ 우산포장지 장착법 ■

How to insert vinyl pouches
傘包装用ビニールのセット方法



우산투입구 안쪽에 손을 넣어 뚜껑을 엽니다.
Open top cover.
傘投入口の内側に手を入れてフタを開けます。



행거와이어를 위로 올립니다.
Pull up the wire stopper.
ハンガーワイヤーを上を持ち上げます。



행거 뒤쪽부터 행거를 꺼냅니다.
Take out hanger.
ハンガーの後ろ側からハンガーを引き出します。



고정밴드를 제거하고 행거를 알루미늄봉에 끼워 넣습니다.
Insert hanger into aluminum pipe.
固定バンドをはずしてハンガーをアルミ棒に差し込みます。



비닐을 행거끝으로 밀어 넣습니다.
Move the vinyl pouches toward hanger.
ビニールをハンガーの先まで移動させます。



알루미늄봉을 제거합니다.
Remove the aluminum pipe.
アルミ棒を取り外します。



비닐이 끼워진 행거를 행거받침대 위에 올려놓은후 행거 뒷부분을 살짝 눌러주며, 우산 지지봉을 앞으로 열어줍니다.
Place hanger of pouches on the hanger stand and push down. And then open the cross bars forward.
ビニールが引っかかっているハンガーを、ハンガー受けの上に乘せてから、ハンガーの後ろ部分を軽く押して傘ガイド棒を手前に開けます。



행거 뒷부분을 딸각 소리가 날때까지 완전히 끼워줍니다.
Push down the rear part of hanger and you hear "Click".
ハンガーの後ろ部分をカチッと音がするまで完全に差し込みます。



행거와이어를 밑으로 누릅니다.
Push down the wire stopper.
ハンガーワイヤーを下に押します。



비닐의 맨앞장을 끌어 당겨서 인출구쪽으로 당겨주세요.
Pull the front first vinyl pouch forward and keep it at the cross bars.
一番手前のビニールを、投入口の方で引っ張ってください。

11 뚜껑을 닫은 후 비닐을 1~2장 당겨서 인출이 제대로 되는지 확인하십시오.
만약, 비닐이 찢어지거나 제대로 인출이되지 않을때에는 행거가 제대로 장착되었는지 확인하십시오.
(행거가 제대로 설치되지 않았으면 설명서 8~10번부터 다시 실행해 주십시오.)

After closing the top cover, please try to pull toward a few vinyl pouches for the smart wrapping. In case that vinyl pouch is torn or dose not comes out smoothly, please check if the hanger is correctly pushed down.
(If hanger is not fixed well, please fix again according to manual process 8~10)

フタを閉めた後、ビニールを1~2枚引いてみて正しくビニールを引き出せるか確認してください。
万が一、ビニールが破れてしまったり正しく引き出せない時は、ハンガーがきちんと装着されているか確認してください。(ハンガーがきちんと取り付けられていない場合、本説明書の8~10番からもう一度やり直してください。)

- ※ 주의 : 보관 후 처음사용 할 때에는 뚜껑을 열어 비닐의 장착여부를 확인하시고, 만약 비닐이 앞쪽으로 밀려있을때에는 비닐을 뒷쪽으로 밀어준 다음 사용하여 주십시오. 비닐장착시 행거가 무거우니 떨어뜨리지 않도록 주의하십시오.
- ※ Notice : When you use umbrella wrapper after some time in storage, Please find if it has the sufficient vinyl pouches. In case that the pouches are hung forward, move them backward and then keep the front first pouch at the cross bars. Be careful not to drop the heavy hanger on the floor when you insert vinyl bags into the hanger.
- ※ 注意 : 保管後に初めて使用する際には、フタを開けてビニールが装着されているかどうかを確認し、もしビニールが手前に寄っている場合はビニールを後ろ側に押し戻してからご使用ください。ビニールを装着する際、ハンガーが重いので落とさないようにご注意ください。